



## **DISTINGUISH SYMPTOMS**

DENGUE, COVID-19 AND HAND-FOOT-AND-MOUTH DISEASE



**HFMD** 



COVID - 19

Might have: Fever (≥ 37,5

degrees Celsius), often

high in children in the first

2 days, then goes down.

None.





**Fever** 

Sudden

high fever.

**Mild fever** in 1-2 days then high fever.

Pink **blisters** scattered

in the mouth, palms,

feet.



Rashes

Headache, fatigue, sore

throat, nausea, diarrhea

**Red rashes** all body afterwards, red eyes.

Yes.

Yes.

Might have.



Others

Might have runny nose similar to flu.

Anorexia, crying.

Might have cough, difficult breathing, runny nose, loss taste or smell.



MODE OF TRANMISSION

Transmission through blood, aused by infected

caused by infected mosquitoes' bite.

Person-to-person contact, caused by the intestinal virus.

**Airborne transmission** 

through respiratory droplets from infected people.



HIGH-RISK GROUP

Anyone.

**Mostly infants** and **children** (1 month old - under 5 years old).

Anyone.





INCUBATION PERIOD

**3 – 10 days** ( 5-7 days on average).

3 - 7 days.

**14 days** (4-5 days on average).



SEVERE SYMPTOMS

Hemorrhage,

damage to blood vessels and lymphatic vessels. **High fever**, startle and struggle, acute pulmonary edema, damage of respiratory and circulatory organs.

**Pneumonia,** respiratory failure, loss of speaking ability or movement.



